

BRIDGEWATER TOWNSHIP BUREAU OF FIRE SAFETY

100 COMMONS WAY BRIDGEWATER, NJ 08807 P: 908-725-6300 EXT 5555 FAX: 908-725-3817 EMAIL: fireofficial@bridgewaternj.gov Karl W. McAleer, Acting Chief Fire Marshal

SMOKE DETECTOR, CARBON MONOXIDE ALARM & PORTABLE FIRE EXTINGUISHER COMPLIANCE APPLICATION (CSDCMAPFEC) -BY WAY OF SALE, LEASE OR RENT

N.J. UNIFORM FIRE ACT: P.L.1983, C.383 (C.52:270-192) N.J.A.C. 5:70-2.3, 2.9 & 4.19

PROPERTY OWNER-NAME
ADDRESS
PHONE # HOME: CELL:
LOCATION OF INSPECTION-ADDRESS:
BLOCK #:LOT #:
REAL ESTATE AGENT NAME:
COMPANY NAME:
ADDRESS:
PHONE #: WORK: CELL:
PROPERTY OWNERS ATTORNEY-NAME:
ADDRESS:
PHONE #:
YEAR HOUSE OR BUILDING BUILT: CLOSING OR MOVE IN DATE:
PLEASE NOTE NEW FEE SCHEDULE FOR ALL APPLICATIONS EFFECTIVE 1-10-11:
\$50.00 MORE THAN 10 BUSINESS DAYS PRIOR TO THE CHANGE OF OCCUPANT \$70.00 BETWEEN FOUR (4) AND TEN (10) BUSNINESS DAYS PRIOR TO THE CHANGE OF OCCUPANT \$125.00 FEWER THAN FOUR (4) BUSINESS DAYS PRIOR TO CHANGE OF OCCUPANT APPLICATIONS WILL NOT BE ACCEPTED UNLESS COMPLETED AND SUBMITTED IN PERSON BY THE SELLING OWNER OR AUTHORIZED AGENT ACCOMPANIED BY THE PAYMENT WHICH SHALL BE BY CHECK OR EXACT CASH! IN THE EVENT THE BUYER IS RESPONSIBLE BASED ON CONTRACTUAL OBLIGATIONS PLEASE PROVIDE A COPY OF THE COMPLETED AND SIGNED CONTRACT AT TIME OF APPLICATION TO SHOW THAT THE BUYER IS RESPONSIBLE OTHERWISE APPLICATIONS WILL NOT BE ACCEPTED. INSPECTIONS ARE SCHEDULED ON TUESDAYS AND THURSDAYS, UNLESS OTHERWISE APPROVED BASED ON TIME TO CLOSING. *** RESIDENCES EQUIPPED WITH A MONITORED FIRE ALARM SYSTEM *** THE RESPONSIBLE PERSON ON SITE MUST HAVE THE PROPER PHONE NUMBER(S) AND
ACCESS CODES TO RESET THE SYSTEM PRIOR TO CONDUCTING TESTS. 6. AS OF NOV. 1, 2005 PORTABLE "ABC TYPE" FIRE EXTINGUISHERS ARE NOW REQUIRED AND SHALL BE MOUNTED WITHIN 10FT. OF COOKING APPLIANCE.
7. PERSON COMPLETING APPLICATION <u>SIGNATURE</u> :
8. CHECK ONE:OWNERREALTORATTORNEYOTHER:
9. OPEN BUILDING PERMITS: YESNOBLDG. DEPT. SIGN OFF:
DATE RECEIVED: PAID: \$50 \$70 \$125 Cash Check#: CREDIT CARD